

Package: agentpushkit (via r-universe)

September 17, 2026

Title R Package Client for Agent Push Kit API

Version 0.1.0

Description The complete Agent Push Kit REST API. Application event ingestion uses an organization key beginning with `apk\_`. Authenticated user operations accept either an Agent Push Kit login JWT or an agent access token beginning with `apt\_`.

URL <https://github.com/JustinBStrong/agent-push-kit-r>

BugReports <https://github.com/JustinBStrong/agent-push-kit-r/issues>

Depends R (>= 3.3)

Encoding UTF-8

License MIT + file LICENSE

LazyData true

Suggests testthat

Imports jsonlite, httr, R6, base64enc, stringr

RoxygenNote 7.2.1

Config/pak/sysreqs libicu-dev libssl-dev

Repository <https://justinbstrong.r-universe.dev>

Date/Publication 2026-08-18 06:11:56 UTC

RemoteUrl <https://github.com/JustinBStrong/agent-push-kit-r>

RemoteRef HEAD

RemoteSha b814ba071072adc7e3f2e60b256230713b606429

Contents

agentpushkit-package	2
Index	3

agentpushkit-package *Agent Push Kit API client*

Description

Generated R client classes and methods for the Agent Push Kit API.

Index

* **package**
 agentpushkit-package, 2

AcceptedResponse
 (agentpushkit-package), 2

AccountApi (agentpushkit-package), 2

AddMemberInput (agentpushkit-package), 2

agentpushkit-package, 2

AgentToken (agentpushkit-package), 2

AgentTokenCreated
 (agentpushkit-package), 2

AgentTokensApi (agentpushkit-package), 2

ApiClient (agentpushkit-package), 2

ApiKeySummary (agentpushkit-package), 2

ApiResponse (agentpushkit-package), 2

AuthenticationApi
 (agentpushkit-package), 2

AuthResponse (agentpushkit-package), 2

CreateAgentTokenInput
 (agentpushkit-package), 2

CreateOrganizationInput
 (agentpushkit-package), 2

CurrentAccount (agentpushkit-package), 2

CustomerAccountsApi
 (agentpushkit-package), 2

DeletedResponse (agentpushkit-package), 2

DeliverySummary (agentpushkit-package), 2

Device (agentpushkit-package), 2

DevicesApi (agentpushkit-package), 2

DisabledResponse
 (agentpushkit-package), 2

ErrorResponse (agentpushkit-package), 2

EventDetail (agentpushkit-package), 2

EventFilter (agentpushkit-package), 2

EventPage (agentpushkit-package), 2

EventsApi (agentpushkit-package), 2

EventSummary (agentpushkit-package), 2

FilterGroup (agentpushkit-package), 2

FilterNot (agentpushkit-package), 2

HealthApi (agentpushkit-package), 2

HealthResponse (agentpushkit-package), 2

IngestionResult (agentpushkit-package), 2

InheritedResponse
 (agentpushkit-package), 2

Membership (agentpushkit-package), 2

MembershipUser (agentpushkit-package), 2

Organization (agentpushkit-package), 2

OrganizationApiKeyCreated
 (agentpushkit-package), 2

OrganizationCount
 (agentpushkit-package), 2

OrganizationCreated
 (agentpushkit-package), 2

OrganizationRecord
 (agentpushkit-package), 2

PasswordLoginInput
 (agentpushkit-package), 2

PasswordResetCompleteInput
 (agentpushkit-package), 2

PasswordResetRequestInput
 (agentpushkit-package), 2

PreferenceRecord
 (agentpushkit-package), 2

PreferencesApi (agentpushkit-package), 2

ProviderLoginInput
 (agentpushkit-package), 2

RegisterDeviceInput
 (agentpushkit-package), 2

RegisterInput (agentpushkit-package), [2](#)
RegisterWebPushSubscriptionInput
 (agentpushkit-package), [2](#)
RegisterWebPushSubscriptionInputKeys
 (agentpushkit-package), [2](#)
RevokedResponse (agentpushkit-package),
 [2](#)

SearchEventsInput
 (agentpushkit-package), [2](#)
SendEventInput (agentpushkit-package), [2](#)
Service (agentpushkit-package), [2](#)
ServiceAllOfCount
 (agentpushkit-package), [2](#)
ServicePreference
 (agentpushkit-package), [2](#)
ServiceSummary (agentpushkit-package), [2](#)
SetEnabledInput (agentpushkit-package),
 [2](#)

TextFilterCondition
 (agentpushkit-package), [2](#)
TimeFilterCondition
 (agentpushkit-package), [2](#)
TypeOverride (agentpushkit-package), [2](#)

User (agentpushkit-package), [2](#)

WebPushConfiguration
 (agentpushkit-package), [2](#)
WebPushSubscription
 (agentpushkit-package), [2](#)